

## SCREEN WASH

DYNACHEM Screen Wash is designed to dissolve all types of ink from screen printing mesh before removing the emulsion. It is applied to the screen printing mesh and rinsed with water. DYNACHEM Screen Wash also contains surfactants that degrease the mesh when used as a final step in the reclaiming process. It can be used as a stain remover, dissolving ink stains, emulsion residue, stains, and ghost images from screen printing mesh.

### FEATURES

- Dissolves all inks and ink stains quickly, allowing mesh to be rinsed clean with water.
- Degreases as it dissolves inks, eliminating the additional step and expense of degreasing chemicals.
- A low odor product, providing a more pleasant environment for employees.
- Non-flammable, making it safer for handling, storage and rag disposal than conventional screen washes.
- Contains low-foam, biodegradable detergents which contribute to superior ink and stain removal, while providing complete rinsability with water.
- Can be applied manually or in an enclosed, automatic screen washing system, providing superior product life and economy.
- Can be applied to a wet screen for use as a stain remover, without causing damage to the mesh.
- Does not contain APEO, making it compliant with many restrictive substances lists (RSLs) including those maintained by Nike, Gildan, VF, and Levi Strauss.

### STAIN REMOVER INSTRUCTIONS

- Remove all ink and emulsion from screen.
- Apply stain remover to both the (well) ink and print side of the screen, and scrub.
- High pressure rinse both sides of screen, followed by a slow or flood rinse to activate degreasing agents.

### PROPERTIES

APPEARANCE / ODOR

**Clear amber liquid,  
mild odor**

SPECIFIC GRAVITY

**1.01 @ 68°F (20°C)**

pH

**Neutral**

VOC

**910 grams/liter**

FLASH POINT

**196°F (91°C)**

INK TYPES

**Conventional/Solvent,  
UV, Electronic,  
Water Based,  
Plastisol**

APPLICATION

**Textile, Graphic**